



निस्दी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय
मित्याल, पाल्पा



लुम्बिनी प्रदेश

सू.नं.:

पत्र संख्या : ०७९/८०

मिति : २०७९/०६/२६

सूचना नं. १५

क्याटलग/ब्रोसर सपिङ्ग विधिबाट हेभी इक्विपमेन्ट र सवारी साधन खरिद सम्बन्धी शिलबन्दी प्रस्ताव आव्हानको सूचना प्रकाशित मिति : २०७९/०६/२६

यस कार्यालयको लागि हेभी इक्विपमेन्ट र सवारी साधन सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा १(क)(८) तथा सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम उत्पादक कम्पनी वा सोको नेपालका लागि आधिकारिक विक्रेताहरु बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) को उपनियम २ अनुसार इच्छुक इजाजत पत्र प्राप्त उत्पादक कम्पनी वा नेपालमा रहेका आधिकारिक अधिकृत विक्रेताहरुले आफ्नो अद्यावधिक फर्म दर्ता प्रमाण पत्र, स्थायी लेखा नम्बर तथा मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्र, एजेन्सी दर्ता प्रमाण पत्र र आ.व. २०७८/०७९ सम्मको कर चुक्ता प्रमाण पत्र, उक्त मेसिन आपूर्ति गरेको हालसम्मको विवरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्र, उत्पादनको आधिकारिक स्पेशिफिकेशन, मूल्य, गुणस्तर तथा सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले १५औँ दिनको १२:०० बजेसम्म यस कार्यालयमा शिलबन्दी प्राविधिक प्रस्ताव सहितको निवेदन दर्ता गराउनु हुन मिति २०७९/०६/२६ गतेको नयाँ पत्रिका राष्ट्रिय दैनिकमा सूचना प्रकाशन गरिएको छ। नियमानुसार दर्ता हुन आएका शिलबन्दी प्रस्तावहरु प्रस्ताव पेश गर्ने अन्तिम दिनको १३:०० बजे खोलिनेछ। दर्ता गर्ने तथा खोल्ने दिन सार्वजनिक विदा पर्न गएमा उक्त कार्य विदा लगत्तै कार्यालय खुल्ने दिनको सोही समयमा हुनेछ। पुनश्च प्रत्येक सामानको लागि अलग अलग शिलबन्दी प्रस्ताव पेश गर्नुपर्नेछ। स्पेशिफिकेशन यस कार्यालयको वेबसाइट www.nisdimun.gov.np बाट प्राप्त गर्न सकिनेछ।

देहाय

| सि.नं. | सामानको विवरण | संख्या |
|--------|-------------------------------|--------|
| १ | Backhoe Loader | १ थान |
| २ | Hard Top Jeep, 4WD, Ambulance | १ थान |

प्रमुख प्रशासकीय अधिकृत

थप जानकारीका लागि ९८५७०७९२१०, ९८५७०७९२१५, ९८५७०७९२०९ मा सम्पर्क गर्न सकिनेछ।

धुव दयाल
प्रमुख प्रशासकीय अधिकृत



सू.नं. :

पत्र संख्या : ०७९/८०

निस्दी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
मित्याल, पाल्पा



लुम्बिनी प्रदेश

मिति : २०७९/०६/२६

Technical Specification of Heavy Equipment

Item: Backhoe Loader

(Quantity: 1 unit)

| S.No | CRITERIA | DEPARTMENTAL REQUIREMENT | OFFERED SPECIFICATION | REMARKS |
|------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------|
| 1. | General | All wheel drive, rigid frame back hoe loader with Steel cab, suitable for operation under rough working conditions, and adverse climate condition at operating altitude of 2000 m and ambient temperature varying between -5°C to 50°C. | Make: Model: Country of origin: | |
| 2. | Capacity | <ol style="list-style-type: none">1. Operating weight not less than 8000 kg2. Loader: General purpose bucket with (6 in1) bolt on teeth of SAE rated capacity nominally heaped approx. 1 cu.m with shovel break out force not less than 6500 kgf.<ul style="list-style-type: none">• Dump Height: ≥ 2770 mm• Load over height: ≥ 3180 mm• Pin Height : ≥ 3420 mm3. Back hoe bucket with bolt on teeth of SAE rated capacity approx. 0.3 cu.m with tear out force 5650 kgf and following working ranges:<ul style="list-style-type: none">• Maximum working height: ≥ 5790 mm• Maximum digging depth: ≥ 4970 mm• Maximum digging reach: ≥ 5750 mm (Ground Level to rear wheel center)• Maximum Lifting capacity : ≥ 1480 kg Out triggers with controls from cabin shall be provided. | | |
| 3. | Engine | Water-cooled diesel engine, developing SAE rated gross horsepower not less than 90 HP with minimum 400 NM torque (engine fully equipped with | | |



निस्दी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

मित्याल, पाल्पा



सू.नं. :

पत्र संख्या : ०७९/८०

लुम्बिनी प्रदेश

मिति : २०७९/०६/२६

| | | | | |
|-----|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | | accessories) at governed RPM for efficient full load operation. Backhoe shall be equipped with heavy duty radiator, cold starting device, direct electric starting system, heavy duty battery, heavy duty air cleaner, heavy duty fuel filter, with water trap and drainage in fuel line and drain tap in fuel tank. | | |
| 4. | Gauges | To include ammeter, water temperature, fuel, oil pressure, transmission and hydraulic gauges as necessary for efficient operation and maintenance. | | |
| 5. | Cab | All steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for back hoe and loader operation, rear view mirror, cabin light, wiper and adjustable cushioned seat for operator shall be provided. | | |
| 6. | Tyres | Suitable four tyres with tubes for operating machine in rough road conditions shall be provided. | | |
| 7. | Hydraulics | Suitable hydraulic pumps flow not less than 117 LPM and system pressure not less than 228 bar for smooth operation of all the attachments. | | |
| 8. | Transmission | Torque converter with at least four speed power shift type of synchro shuttle transmission. | | |
| 9. | Steering | Power assisted hydrostatic steering. | | |
| 10. | Brakes | Hydraulically actuated, wet multiple disc/caliper disc type service brake and separate parking brake. | | |
| 11. | Axles | Four wheel drive with fixed rear axle and at least 15° oscillating front axles. | | |
| 12. | Essential Accessories | 1. Service hour meter 2. Work lights, road lights and fog lights 3. Cabin lights. | | |
| 13. | Instructions | All signs and instructions in the equipment shall be in English. | | |
| 14. | Manuals | One copy of the Owner's and Operator's Instructions and Maintenance manual including Spare parts catalogue and Comprehensive workshop manual in English shall be supplied with each equipment. | | |
| 15. | Tools | A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit. | | |



निसदी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
मित्याल, पाल्पा



लुम्बिनी प्रदेश
मित्याल, पाल्पा
मिति : २०७९/०६/२६

सू.नं. :

पत्र संख्या : ०७९/८०

| 16. | Color | Standard | | |
|-----|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 17. | Proven performance | 1. The machine offered shall be a current model under standard production by the manufacturer for at least one year. 2. The bidder should have supplied the equipment to the government sector before. 3. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and machine's production capacity. | | |
| 18. | Warranty | Manufacturer shall provide a minimum of one year warranty after acceptance. | | |
| 19. | Delivery | Supplier should deliver 1 Unit of Backhoe Loader at Nisdi Rural Municipality, Palpa | | |

Note:

1. The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification. Non-Compliance of these major items will result in non- responsiveness of the bid offer.



सू न :

पत्र संख्या : ०७९/८०

निरुदी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

मित्याल ,पाल्पा



लुम्बिनी प्रदेश

मिति : २०७९/०६/२६

Technical Specification of Emergency Vehicle

Item: Ambulance

(Quantity: 1 unit)

| S.No | CRITERIA | DEPARTMENTAL REQUIREMENT | OFFERED SPECIFICATION | REMARKS |
|------|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------|
| 1. | General | Right hand drive, 4WD, Hardtop jeep suitable for driving in Nepal. GVW shall not be less than 2400 kg, and shall have seat capacity for driver, patient and minimum three passengers. | Make: Model: Country of origin: | |
| 2. | Engine | Water-cooled diesel engine, developing maximum rated gross power not less than 45 KW and maximum torque not less than 190NM at governed RPM with engine displacement not less than 2500 cc(engine fully equipped with accessories) for efficient full load operation of the vehicle at operating conditions. | | |
| 3. | Wheelbase, Overall Length and Ground Clearance | Wheelbase not more than 2750 mm Overall Length not more than 4450 mm Ground Clearance not less than 180 mm | | |
| 4. | Emission Standard | The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management, Nepal. | | |
| 5. | Gauges | To include water temperature, fuel, oil pressure, transmission gauge, etc as necessary for efficient operation and maintenance. | | |
| 6. | Cab | 2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passengers. Sun visor, rear view mirror and two side view mirror. | | |
| 7. | Tyres | Standard size. | | |
| 8. | Suspension | Leaf springs/ coil springs/ torsion bar/ shock absorbers at front and rear. | | |
| 9. | Transmission | Manual shift at five forward and one reverse floor mounted engaged through control at driver seat. | | |



निस्दी गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

मित्याल, पाल्पा

गाउँ निस्दी गाउँपालिका
कार्यपालिकाको कार्यालय
लुम्बिनी प्रदेश, नेपाल
मित्याल, पाल्पा लुम्बिनी प्रदेश
मिति : २०७९/०६/२६

सू नं :

पत्र संख्या : ०७९/८०

| | | | | |
|-----|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 10. | Steering | Power steering. | | |
| 11. | Clutch | Single Dry Plate. | | |
| 12. | Brakes | Front ventilated disc type, rear disc/drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred. | | |
| 13. | Chassis and frame | Heavy duty metal frame. | | |
| 14. | Essential Accessories | 1. Head light, tail and rear lights, reversing light and turn signals. 2. Cabin lights. 3. One spare wheel with tyre and tube 4. Suitable jack and handle 5. Seat belt for driver and co-passenger 6. Siren, foldable trolley cum stretcher 7. Flashing light on top (As per Nepal Standard) 8. Stethoscope, BP set, torch light, tongue depressure 9. Oxygen cylinder holder, flow meter, mask, oxygen supply, oxygen monitor and ECG monitor, CPR Board 10. Cannula and syringes, Nebulizer set, Manual Suction set, Splints 11. Intubation set, various intubation tubes and laryngeal tubes 12. Automated External Defibrillator (AED) 13. Delivery sets and Dressing sets 14. Catheterization sets and Haemostatic sets 15. Saline bottle holder 16. Washing equipment, GPS 17. IV drips, Ambu bag 18. Anti-skid floor equipped, with all necessary accessories offered in the standard model of Category 'B' but not limited to the above items. | | |
| 15. | Instructions | All signs and instructions in the vehicle shall be in English. | | |
| 16. | Manuals | One copy of the Owner's and Operator's Instructions and Maintenance manual in English shall be supplied with each vehicle. | | |
| 17. | Tools | A set of tools as required for general maintenance shall be supplied. | | |
| 18. | Color | Standard (White preferred) | | |



निसदी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
मित्याल, पाल्पा

निसदी गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
लुम्बिनी प्रदेश, नेपाल
मित्याल, पाल्पा
मिति : २०७९/०६/२६

सू.नं.:

पत्र संख्या : ०७९/८०

| | | | | |
|-----|---------------------------|-------------------------------------------------------------------------------------------------------------------|--|--|
| 19. | Proven performance | The machine offered shall be a current model under standard production by the manufacturer for at least one year. | | |
| 20. | Warranty | Manufacturer shall provide a minimum of one year warranty after acceptance. | | |
| 21. | Delivery | The supplier shall deliver 1 unit of Ambulance to Nisdi Rural Municipality, Palpa. | | |

Note:

1. The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification. Non-Compliance of these major items will result in non- responsiveness of the bid offer.